

PEER REVIEWED

Canine Hyperadrenocorticism

Challenges Establishing the Diagnosis

Ann Della Maggiore, DVM, Diplomate ACVIM, & Richard Nelson, DVM, Diplomate ACVIM
University of California–Davis

References

1. Lang JM, Schertel E, Kennedy S, et al. Elective and emergency surgical management of adrenal tumors: 60 cases (1999-2006). *JAAHA* 2011; 47:428-435.
2. Rijnberk A, van Wess A, Mol JA. Assessment of the two tests for the diagnosis of canine hyperadrenocorticism. *Vet Rec* 1988; 122:178-180.
3. Behrend EN, Kooistra HS, Nelson R, et al. Diagnosis of spontaneous canine hyperadrenocorticism: 2012 ACVIM consensus statement (small animal). *J Vet Intern Med* 2013; doi: 10.1111/jvim.12192.
4. DiBartola SP. *Fluid, Electrolytes, and Acid-Base Disorders*, 3rd ed. St. Louis: Saunders, 2006, p 71.
5. Kooistra HS, Voorhout G, Mol JA, Rijnberk A. Correlation between impairment of glucocorticoid feedback and the size of the pituitary gland in dogs with pituitary-dependent hyperadrenocorticism. *J Endocrinol* 1997; 152:387-394.